


Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3393	(execut\$3 with object) and structure and ((input or enter or entry) with parameter\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 16:44
L2	264	L1 and (business with rules)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 16:44
L3	39	L2 and @ad<"19981211"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 16:44
L4	1	L3 and (707/102).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 16:44
L5	0	L3 and ("709.318").ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 16:45
L6	0	L3 and ("707/104").ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 16:45
L7	4	L3 and ("705/1").ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 16:45
S1	2	("6338069").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 14:56
S2	1	"6263313".PN.	USPAT; USOCR	OR	OFF	2005/03/11 14:32

S3	1	"6253239".PN.	USPAT; USOCR	OR	OFF	2005/03/11 14:33
S4	1	"6226628".PN.	USPAT; USOCR	OR	OFF	2005/03/11 14:33
S5	1	"6226788".PN.	USPAT; USOCR	OR	OFF	2005/03/11 14:33
S6	3393	(execut\$3 with object) and structure and ((input or enter or entry) with parameter\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 14:58
S7	264	S6 and (business with rules)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 14:59
S8	39	S7 and @ad<"19981211"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 15:26
S9	0	S8 and (707/103.r).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 15:00
S10	0	S8 and (707/103.x).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 15:00
S11	0	S8 and (707/103.y).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 15:00
S12	0	S8 and (707/103.z).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 15:00

S13	0	S8 and (miss\$3 with input)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 15:08
S14	0	"017319".apn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 15:04
S15	1	S8 and (miss\$3 with function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 15:04
S16	0	S8 and (miss\$3 with value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 15:08
S17	1	S7 and @ad<"19981211" and (relationship with function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 15:27
S18	2	S7 and @ad<"19981211" and (relation\$4 with function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 15:30
S19	0	S7 and @ad<"19981211" and (relat6\$4 with function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 15:30
S20	20	S7 and @ad<"19981211" and (relat\$6 with function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 15:30



Web Results 1 - 3 of 3 for "**business rules**" "**execution object**" input parameters missing value. (0.

Tip: Try removing quotes from your search to get more results.

[PDF] ILOG JRules 4.6.2 Overview

File Format: PDF/Adobe Acrobat - View as HTML

... placeholders for **missing** information. Templates can be used to create many rules with a ... of **business rules** 37. **eXecution Object** Model, see XOM ...
infolab.fri.uni-lj.si/marko/downloads/overview.pdf - [Similar pages](#)

[PS] Relational and Object-Oriented Databases by Willi-Hans Steeb ...


File Format: Adobe PostScript - View as Text

... of situations where data may not be available: a null **value** indicates that a **value** is **missing**. ... **Input** arguments can be either literals or **parameters**. ...
issc.rau.ac.za/downloads/db.ps - [Similar pages](#)

From owner-sqr-users@list.iex.net Tue Jun 30 19:37:39 1998 Date ...

... If anyone else has any **input** on this subject, please add to it. ... Embed the InSQRibe ActiveX remote **execution object** into my Forms 5.0 application. 2. ...
www.sqrug.org/sqr-users/sqrusers_98q2/sqrusers_98q2.txt - 522k - [Cached](#) - [Similar pages](#)

Free! Get the Google Toolbar. [Download Now](#) - [About Toolbar](#)




"business rules" "execution objec" [Search](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google



Web Results 1 - 10 of about 630 for "**business rules**" **function execution object** "**object oriented**" re

Glossary of Terminology

... This **relationship** is paralleled in an **Object Oriented** (OO) environment ...
Parameter, A **value** passed to a program or **function** via an operation/method. ...
www.hitis.org/technicalcomm/glossary.htm - 41k - [Cached](#) - [Similar pages](#)

Glossary

... It is similar to a data structure that contains both **input parameters** and return
... of client/server applications based on **object-oriented** technology. ...
msdn.microsoft.com/library/en-us/his_2004main/htm/his_glossary_pbjw.asp - 131k -
[Cached](#) - [Similar pages](#)

Section 3: Developing Service-Oriented Architectures (Visual ...

... organizational functions and, when exposed to each other, business relationships.
... to programmers working in an **object-oriented** Windows environment. ...
msdn.microsoft.com/library/en-us/dnvsent/html/FoodMovers3.asp - 86k -
[Cached](#) - [Similar pages](#)

[PDF] Hospitality Industry Interface Standards Project

File Format: PDF/Adobe Acrobat - [View as HTML](#)
... This **relationship** is paralleled in an **Object Oriented** (OO) environment by ...
A **value** passed to a program or **function** via an operation/method. ...
www.clairvoyix.com/files_doc/terminology1.pdf - [Similar pages](#)

Future Fab Intl.

... is constructed from an **input**-queue, an **execution**-queue and an **output**-queue.
... Michael Blaha; William Premerlani: **Object** Oriented Modeling and Design; ...
www.future-fab.com/documents.asp?grID=212&d_ID=1229 - 97k - [Cached](#) - [Similar pages](#)

[PPT] Object Oriented Analysis & Design Training Agenda

File Format: Microsoft Powerpoint 97 - [View as HTML](#)
... **Object-oriented** design (OOD) – an approach used to specify the software ...
2 functions in which the **output** from the first one is used as the **input** to ...
as.nida.ac.th/resource/ppt/614/chap018-1.ppt - [Similar pages](#)

[PDF] 26. Legacy Systems

File Format: PDF/Adobe Acrobat - [View as HTML](#)
... of today's legacy systems were designed before **object-oriented** development
... Batch processing systems Data is **input** and **output** in batches from a file ...
www.comp.lancs.ac.uk/computing/resources/lanS/SE7/ElectronicSupplements/LegacySys.pdf -
[Similar pages](#)

Glossary

... **Output parameters** returned by an ODS Library **function** to the client. ...
the **execution** of Transact-SQL statements that create database objects or ...
www.schemamania.org/jkl/bookonline/SQLBOL70/html/gloss01.htm - 198k - [Cached](#) - [Similar pages](#)

Google™ [Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#)^{New!} [more »](#)

[Advanced Search](#)
[Preferences](#)

Web Results 1 - 2 of 2 for "**business rules**" **function execution object** "**object oriented**" "**input/outp**

Tip: Try removing quotes from your search to get more results.

[doc] [Software evolution is a significant problem](#)

File Format: Microsoft Word 2000 - [View as HTML](#)

... but they still exist in the abstract sense of an **input-output relationship**.

... depending on whether a platform-independent or **object-oriented** solution ...

www.itee.uq.edu.au/~hearnden/_deltaware/ConfirmationReport.doc - [Similar pages](#)

[ps] [EAGLES Evaluation of Natural Language Processing Systems EAGLES ...](#)







File Format: Adobe PostScript - [View as Text](#)

... We describe evaluation as a **function** relating objects and users to something we

... and presupposes a certain knowledge of **object** oriented programming. ...

www.ilc.cnr.it/EAGLES96/pub/eagles/evaluation/ewg95.ps - [Similar pages](#)

Free! Google Desktop Search: Search your own computer. [Download now.](#)

Find:  [emails](#) -  [files](#) -  [chats](#) -  [web history](#) -  [media](#) -  [PDF](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google

Google™ [Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [New!](#) [more »](#)

[Advanced Search](#)
[Preferences](#)

Web Results 1 - 10 of about 59 for "**business rules**" "**unique key**" **function execution object** "**objec**

Glossary

... **Output parameters** returned by an ODS Library **function** to the client. ...
the **execution** of Transact-SQL statements that create database objects or ...

www.schemamania.org/jkl/booksonline/SQLBOL70/html/gloss01.htm - 198k - [Cached](#) - [Similar pages](#)

[doc] Business-Centric Methodology (BCM)

File Format: Microsoft Word 97 - [View as HTML](#)

... eg understanding and relying on classes in an **object-oriented** system. ...

The declarative approach states the **input** and **output** path locations. ...

www.businesscentricmethodology.com/.../content.asp?document=%2FCMS%2Fdocuments%2FBCMexplained.2003-04-23.doc - [Similar pages](#)

OODML.HOW

... commands just plain do not work with an **object-oriented** language - no matter how

... **Input** only, **Output** only (in which case you put in a dummy **value** to ...

www.dbase.com/Knowledgebase/beg/oodml_how/oodml_how.htm - 131k - [Cached](#) - [Similar pages](#)

SQL Server 7.0: Glossary

... **Output parameters** returned by an ODS Library **function** to the client. ...

It also supports **object-oriented** applications by treating all files as objects ...

www.microsoft.com/resources/documentation/sql/7/all/proddocs/en-us/intro/75515glo.mspx - 179k - [Cached](#) - [Similar pages](#)

What is/is not considered to be good OO programming

... up of separate objects which contain all the **business rules** for individual

... it ever be necessary to adjust the data before it is **input** or **output** you ...

www.tonymarston.net/php-mysql/good-bad-oop.html - 137k - [Cached](#) - [Similar pages](#)

Glossary

... optional **input parameters**, and returns a status and optional **output parameters**.

... An **object-oriented** schema that defines meta data constructs used to ...

doc.ddart.net/mssql/sql2000/html/basics/gloss.htm - 386k - [Cached](#) - [Similar pages](#)

Migrating to the .NET Framework

... Every transfer is an **output** from one device and an **input** into another. ...

managed **execution** environment, integrated security, and **object-oriented** ...

www.watchit.com/PGDSCR.cfm?c_acronym=MINF&programPageDisplay=Glossary - 513k -

[Cached](#) - [Similar pages](#)

Microsoft .NET: Impact on IT

... managed **execution** environment, integrated security, and **object-oriented** ...

incapable of the common character-at-a-time **input** and **output** operations. ...

www.watchit.com/PGDSCR.cfm?c_acronym=MSNI&programPageDisplay=Glossary - 505k

- [Cached](#) - [Similar pages](#)

[[More results from www.watchit.com](#)]

Introduction to the Oracle Server

... of your relational data, or you can go over to an **object-oriented** approach entirely. ... except that functions always return a single **value** to the user. ...
www.stanford.edu/dept/itss/docs/oracle/9i/server.920/a96524/c01_02intro.htm - 223k -
[Cached](#) - [Similar pages](#)

[PDF] Section 1: Why Use a Web Database?

File Format: PDF/Adobe Acrobat - [View as HTML](#)
... **Missing** or incorrect **business rules**. Many businesses have strict rules that
... measures and HTTP-NG, a completely new, **object-oriented** architecture for ...
www.cit.cornell.edu/atc/materials/old/dbdesign/dbdesign.pdf - [Similar pages](#)

Gooooooooogle ►

Result Page: 1 2 3 4 5 6 [Next](#)

Free! Google Desktop Search: Search your own computer. [Download now.](#)

Find: emails - files - chats - web history - media - PDF

"business rules" "unique key" func

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied?](#) [Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google